



SEP 02 2004

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

Page 1 of 2

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/674,235	09/29/2003	Rudolph Nobis	END 5214

000027777

PHILIP S. JOHNSON  
JOHNSON & JOHNSON  
ONE JOHNSON & JOHNSON PLAZA  
NEW BRUNSWICK, NJ 08933-7003

CONFIRMATION NO. 1897

FORMALITIES LETTER



\*OC000000013137014\*

Date Mailed: 07/02/2004

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

## Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52, 1.121(b)(3), and 1.125, is required. The specification, claims, or abstract page(s) submitted is not acceptable and cannot be scanned or properly stored because:
  - The line spacing on the specification, claims, or abstract is not 1½ or double spaced (see 37 CFR 1.52(b)).
- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
  - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 14.

Replies should be mailed to: Mail Stop Missing Parts  
Commissioner for Patents  
P.O. Box 1450  
Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

09/03/2004 DEMMANU1 00000025 100750 10674235

01,FC:1051 130.00 DA

BEST AVAILABLE COPY

*L. Lam*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



DOCKET NO. END-5214

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Nobis, Rudolph et al.  
Serial No. : 10/674,235 Art Unit: 3762  
Filed : September 29, 2003 Examiner: Not assigned  
For : ACTUATION MECHANISM FOR FLEXIBLE ENDOSCOPIC DEVICE


I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Missing Parts, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

August 31 2004

(Date of Deposit)

Linda F. Hansen

(Name of applicant, person mailing, assignee, or Registered Representative)

  
(Signature)

August 31 2004

(Date of Signature)

Mail Stop Missing Parts  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

SUBMISSION OF SUBSTITUTE CORRECTED SPECIFICATION


Dear Sir:

Pursuant to 37 CFR 1.52, 1.121(b)(3) and 1.125, enclosed is a substitute corrected specification for the application of Rudolph Nobis et al. entitled ACTUATION MECHANISM FOR FLEXIBLE ENDOSCOPIC DEVICE attorney Docket No. END-5214, to complete, pursuant to 37 CFR 1.52(b) this application filed on September 29, 2003 by Express Mail pursuant to Rule 10. As required, a copy of the Notice to File Corrected Application Papers is also attached.

No new matter has been added. This substitute specification merely corrects the line spacing of the Abstract from single line spacing to 1.5 line spacing.

Please charge Johnson & Johnson Deposit Account No. 10-0750/END-5214/GSG in the amounts of \$130.00 for submission of the Declaration pursuant to Section 1.16(e). The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Account No. 10-0750/ END-5214/GSG.

Respectfully submitted,



Gerry S. Gressel.

Reg. No. 34,342

Attorney for Applicant(s)

Johnson & Johnson  
One Johnson & Johnson Plaza  
New Brunswick, NJ 08933-7003  
(513) 337-3535  
Dated: August 30, 2004